

## 2WORK WASHING UP LIQUID

Page: 1 Compilation date: 01/11/2011 Revision date: 30/10/2019

Revision No: 6

## Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: 2WORK WASHING UP LIQUID

Product code: 2W04170

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

### 1.3. Details of the supplier of the safety data sheet

Company name: VOW EUROPE LTD

MAGNA PARK HARRIER PARKWAY LUTTERWORTH LE17 4XT

# Tel: 0844 980 8000 Email: WWW.VOWEUROPE.COM

### 1.4. Emergency telephone number

Emergency tel: NHS 111

NHS Direct Wales 08454647

| ROI | 01 809 216 | 6 |
|-----|------------|---|
|-----|------------|---|

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; -: EUH208

Most important adverse effects: Causes serious eye damage. Contains 1,2-benzoisothiazol-3(2H)-one. May produce an allergic reaction.

### 2.2. Label elements

| Label elements:    |   |
|--------------------|---|
| Hazard statements: | H318: Causes serious eye damage.  |
|                    | EUH208: Contains 1,2-benzoisothiazol-3(2H)-one. May produce an allergic reaction. |
| Hazard pictograms: | GHS05: Corrosion  |

### 2WORK WASHING UP LIQUID

Page: 2



 Signal words:
 Danger

 Precautionary statements:
 P280: Wear eye protection, protective gloves.

 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P310: Immediately call a POISON CENTER or doctor.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

3.2. Mixtures

### Hazardous ingredients:

DODECYL BENZENESULPHONIC ACID SODIUM SALT

| EINECS    | CAS        | PBT / WEL | CLP Classification                       | Percent |
|-----------|------------|-----------|--|---------|
| 246-680-4 | 25155-30-0 | -         | Acute Tox. 4: H302; Skin Irrit. 2: H315; | 1-10%   |
|           |            |           | Eye Dam. 1: H318                         |         |

ALCOHOLS C12-C14, ETHOXYLATED, SULPHATED, SODIUM SALTS - REACH registered number(s): 01-2119488639-16-xxxx

| 68891-38-3 | - | Eye Dam. 1: H318; Skin Irrit. 2: H315; | 1-10% |  |
|------------|---|--|-------|--|
|            |   | Aquatic Chronic 3: H412                |       |  |

## Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: Rinse skin with water.

Eye contact: Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: No symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

## 2WORK WASHING UP LIQUID

#### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

#### Extinguishing media: Water.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Turn leaking containers leak-side up to prevent the escape of liquid.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a suitable container.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

## 7.1. Precautions for safe handling

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed.

Suitable packaging: Polyethylene. Stainless steel.

7.3. Specific end use(s)

Specific end use(s): No data available.

#### Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

### 2WORK WASHING UP LIQUID

Page: 4

## 8.2. Exposure controls

Eye protection: Safety glasses. Ensure eye bath is to hand.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| State:                        | Liquid                         |                              |                 |
|-------------------------------|--------------------------------|------------------------------|-----------------|
| Colour:                       | Green                          |                              |                 |
| Odour:                        | Barely perceptible odour       |                              |                 |
| Evaporation rate:             | Moderate                       |                              |                 |
| Oxidising:                    | Non-oxidising (by EC criteria) |                              |                 |
| Solubility in water:          | Soluble                        |                              |                 |
| Viscosity:                    | Viscous                        |                              |                 |
| Boiling point/range°C:        | 100                            | Melting point/range°C:       | 0               |
| Flammability limits %: lower: | Not applicable.                | upper:                       | Not applicable. |
| Flash point°C:                | Not applicable.                | Part.coeff. n-octanol/water: | Not applicable. |
| Autoflammability°C:           | Not applicable.                | Vapour pressure:             | Not applicable. |
| Relative density:             | 1.017 - 1.027                  | pH:                          | 7               |
| VOC g/l:                      | 0                              |                              |                 |
| 0.0. Other information        |                                |                              |                 |

9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

10.5. Incompatible materials

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

## Section 11: Toxicological information

11.1. Information on toxicological effects

## 2WORK WASHING UP LIQUID

#### Hazardous ingredients:

#### ALCOHOLS C12-C14, ETHOXYLATED, SULPHATED, SODIUM SALTS

| ORL         RAT         LD50         >2000         mg/kg |
|--|
|--|

### Relevant hazards for product:

| Hazard                        | Route | Basis                 |
|-------------------------------|-------|-----------------------|
| Serious eye damage/irritation | OPT   | Hazardous: calculated |

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: No symptoms.

## Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

#### 12.2. Persistence and degradability

**Persistence and degradability:** The surfactants contained in this preparation comply with the biodegradability criteria as laid down in regulation (EC) No.648/2004 on detergents.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Soluble in water.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

#### Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

## 2WORK WASHING UP LIQUID

## Section 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

### **Section 16: Other information**

| Other information            |   |
|------------------------------|---|
|                              |   |
| Other information:           | This safety data sheet is prepared in accordance with Commission Regulation (EU) No |
|                              | 2015/830.   |
| Phrases used in s.2 and s.3: | EUH208: Contains 1,2-benzoisothiazol-3(2H)-one. May produce an allergic reaction.   |
|                              | H302: Harmful if swallowed.   |
|                              | H315: Causes skin irritation.   |
|                              | H318: Causes serious eye damage.  |
|                              | H412: Harmful to aquatic life with long lasting effects.                            |
| Legend to abbreviations:     | PNEC = predicted no effect concentration  |
|                              | DNEL = derived no effect level  |
|                              | LD50 = median lethal dose   |
|                              | LC50 = median lethal concentration  |
|                              | LDLO = lethal dose low  |
|                              | EC50 = median effective concentration   |
|                              | IC50 = median inhibitory concentration  |
|                              | dw = dry weight   |
|                              | bw = body weight  |
|                              | cc = closed cup   |
|                              | oc = open cup   |
|                              | MUS = mouse   |
|                              | GPG = guinea pig  |
|                              | RBT = rabbit  |
|                              | HAM = hamster   |
|                              | HMN = human   |
|                              | MAM = mammal  |
|                              | PGN = pigeon  |
|                              | IVN = intravenous   |
|                              | IPR = intraperitoneal   |
|                              | SCU = subcutaneous  |
|                              | ORL = oral  |
|                              | SKN = skin  |

## 2WORK WASHING UP LIQUID

Page: 7

 DRM = dermal

 OCC = ocular/corneal

 OPT = optical

 ING = ingestion

 INH = inhalation

 PCP = physico-chemical properties

 Legal disclaimer:

 The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.