

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	CB316Eseries
Registration number	-
Synonyms	None.
Issue date	16-Jan-2019
Version number	01
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of the	ne safety data sheet
	HP Inc. UK Limited
	Cain Road, Amen Corner
	Bracknell, Berkshire RG12 1HN
	United Kingdom
Telephone	44 (0) 879 013 0790
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Eaber according to Regulation (E	
Contains:	1,5-pentanediol, 2-pyrrolidone, Carbon black, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.
2.3. Other hazards	Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

. Mixtures					
neral information					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Note
Water	70-80	7732-18-5 231-791-2	-	-	
Classification:	-				
1,5-pentanediol	<7.5	111-29-5 203-854-4	01-2119449341-44-0006	-	
Classification:	-				
2-pyrrolidone	<7.5	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H319				
Carbon black	<5	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification:	-				
mposition comments	This ink supply c	ontains an aqueous i	nk formulation.		
	Carbon black is	present only in a bour	d form in this preparation.		
ECTION 4: First aid m	easures				
neral information	Not available.	Not available.			
. Description of first aid m	easures				
Inhalation	Move to fresh air	Move to fresh air. If symptoms persist, get medical attention.			
Skin contact	Wash affected an attention.	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.			
Eye contact		Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.			
Ingestion	If ingestion of a l	If ingestion of a large amount does occur, seek medical attention.			
. Most important sympton d effects, both acute and ayed	<b>is</b> Not available.	Not available.			
. Indication of any	Not available.				
-					

# **SECTION 5: Firefighting measures**

immediate medical attention and special treatment needed

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	CO2, water, dry chemical, or foam
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency Wear appropriate personal protective equipment. personnel

For emergency responders	Not available.	
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.	
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.	
6.4. Reference to other sections	Not available.	
SECTION 7: Handling and	storage	
7.1. Precautions for safe handling	Avoid contact with skin, eyes and clothing.	

 

 7.2. Conditions for safe storage, including any incompatibilities
 Keep out of the reach of children. Keep away from excessive heat or cold.

 7.3. Specific end use(s)
 Not available.

# **SECTION 8: Exposure controls/personal protection**

Not available.

#### 8.1. Control parameters

#### **Occupational exposure limits**

UK. EH40 Workplace Exposure Limits (WELs)				
Components	Туре	Value		
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3		
,	TWA	3.5 mg/m3		
iological limit values	No biological exposure limits noted for the ingredient(s).			

#### Biological limit values Recommended monitoring procedures

#### Derived no effect levels (DNELs)

Components		Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5	)	Consumers	Dermal	6 mg/kg bw/d	Systemic long term
			Dermal	167 mg/kg bw/d	Systemic acute short tern
			Inhalation	17.1 mg/m3	Systemic long term
			Oral	5.2 mg/kg bw/d	Systemic long term
			Oral	33.3 mg/kg bw/d	Systemic acute short term
		Workers	Dermal	277 mg/kg bw/d	Systemic acute short term
			Dermal	10 mg/kg bw/d	Systemic long term
			Inhalation	57.8 mg/m3	Systemic long term
Carbon black (CAS 1333-86-	4)	Consumers	Inhalation	1.75 mg/m3	Local long term
			Inhalation	0.06 mg/m3	Systemic long term
		Workers	Inhalation	2 mg/m3	Local long term
			Inhalation	1 mg/m3	Systemic long term
redicted no effect concentration	ons (PNECs)				
Components		Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5	)	Not applicable	Freshwater	0.5 mg/l	
			Intermittent	0.5 mg/l	Releases
			Marine water	0.05 mg/l	
			Sediment	0.4205 mg/kg	Freshwater
			Soil	0.0612 mg/kg	
			STP	10 mg/l	Sewage Treatment Plant
Carbon black (CAS 1333-86-	4)	Not applicable	Freshwater	5 mg/l	
			Marine water	5 mg/l	
xposure guidelines	Exposure lim	nits have not been es	stablished for this	product.	
2. Exposure controls					
ppropriate engineering ontrols	Use in a well	ventilated area.			
dividual protection measures	such as perso	onal protective equ	ipment		
General information	Use persona	I protective equipme	ent to minimize exp	oosure to skin and e	ye.
Eye/face protection	Not available	<b>)</b> .			
Skin protection					

- Hand protection

Not available.

- Other	Not available.
<b>Respiratory protection</b>	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Not available.
Form	Liquid.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	7 - 8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 200.0 °F (> 93.3 °C) Pensky-Martens Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Vapor density	>= 1 (air = 1.0)
Solubility(ies)	
Solubility (water)	Soluble in water
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	>= 2 cp
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
VOC	< 146 g/l

# **SECTION 10: Stability and reactivity**

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

# **SECTION 11: Toxicological information**

General information	Not available.
Information on likely routes of ex	<b>kposure</b>
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.

Material name: CB316Eseries

Ingestion	Health injuries are not known or expected under normal use.			
Symptoms	Not available.			
11.1. Information on toxicologic	cal effects			
Acute toxicity	Based on available data, the classification criteria are not met.			
Components	Species	Т	est Results	
2-pyrrolidone (CAS 616-45-5)				
Acute				
<b>Oral</b> LD50	Det		5000 mg///g	
	Rat	-	5000 mg/kg	
Carbon black (CAS 1333-86-4) Acute				
Oral				
LD50	Rat	>	10000 mg/kg	
Skin corrosion/irritation		ilable data, the classification criteria are no		
Serious eye damage/eye		ilable data, the classification criteria are no		
irritation	Not classified	as an irritant according to, OECD 405.		
Respiratory sensitization		ilable data, the classification criteria are no		
Skin sensitization		ilable data, the classification criteria are no		
Germ cell mutagenicity		ilable data, the classification criteria are no		
Carcinogenicity	Based on ava	ilable data, the classification criteria are no	ot met.	
	bound within a bound form in carcinogens a	indicate that exposure to carbon black, pe a product matrix, specifically, rubber, ink, c this preparation. None of the other ingred according to ACGIH, EU, IARC, MAK, NTP	or paint. Carbon black is present only in a ients in this preparation are classified as	
IARC Monographs. Overall				
Carbon black (CAS 1333 Reproductive toxicity		2B Possibly carcinogeni ilable data, the classification criteria are no		
Specific target organ toxicity -		Based on available data, the classification criteria are not met.		
single exposure				
Specific target organ toxicity - repeated exposure				
Aspiration hazard	Based on available data, the classification criteria are not met.			
Mixture versus substance information	Not available.			
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.			
SECTION 12: Ecological	information			
12.1. Toxicity				
Aquatic toxicity	Not expected	to be harmful to aquatic organisms.		
Product		Species	Test Results	
CB316Eseries (CAS Mixture)				
Aquatic				
Fish	LC50	Fathead minnow (Pimephales promelas)	-	
Components		Species	Test Results	
2-pyrrolidone (CAS 616-45-5)				
Aquatic	EC50	Water flee (Depheie puley)	13 21 mg/L 48 bours	
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours	
12.2. Persistence and degradability	Not available.			

## Partition coefficient

n-octanol/water (log Kow) 2-pyrrolidone

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

#### **SECTION 14: Transport information**

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

#### ADR

Not regulated as dangerous goods.

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

## Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

#### Not listed.

- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

### Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

#### Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

## Not listed.

# Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Not regulated.	
Other EU regulations	
-	ijor accident hazards involving dangerous substances, as amended
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Counci concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other infor	mation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under Sections 2 to 15	H319 Causes serious eye irritation.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

### Explanation of abbreviations

ACC111	American Conference of Covernmental Industrial Ungionista
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

# Safe Use of Mixture Information (SUMI)

# Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.	
Operational conditions		
Maximum duration	Up to 8 hours per day	
Frequency of exposure	< 240 days per year	
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions	
	followed.	
Risk management measures		
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.	
related to Personal Protection		
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.	
Equipment, hygiene and	Wear appropriate chemical resistent clothing.	
health evaluation	In case of inadequate ventilation wear respiratory protection.	
	Eye wash fountain and emergency showers are recommended.	
	Avoid breathing mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.	
Good practice advice		
Use personal protective equipme	ent as required.	
Wash hands before breaks and a	after work.	
Keep good industrial hygiene and	d safety practice.	
Use only with adequate ventilati		
Do no eat, drink or smoke when		
Wash contaminated clothing be		
Store at room temperature.		
Environmental measures		
	in intercourse/unitercourselies	
Do not allow this material to dra		
-	ding to Local, State, Federal and Provincial Environmental Regulations.	
	ith appropriately licenced waste contractor.	
Use descriptors		
IS-Use at industrial sites		
PW-Widespread use by profession	onal workers	
SU7-Printing and reproduction n	nedia	
PC18-Inks and Toners		
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.	
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions	
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities	
ERC5-Use at industrial site leading		
	o inclusion into/onto article (indoor)	
Additional information on prod		
In section 2 of the SDS as well as on the label, the classification of the mixture is provided.		
Most of the water based inks are "not classified".		
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.		
All ingredients contributing to the classification are stated in Section 3 of the SDS.		
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.		
	zing ingredients that may cause allergic reaction to certain people.	
Section 2 of the SDS states these		
I	WB01 English.pdf	