

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

HP Color LaserJet CE250A-X-XC-XD-YC Black Print Cartridge

of the mixture

Registration number

**Synonyms** None

11-Mar-2015 Issue date

Version number 04

**Revision date** 18-Oct-2018 21-Sep-2015 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** This product is a black toner preparation that is used in HP Color LaserJet CP3525 and CM3530

series printers.

None known. Uses advised against

1.3. Details of the supplier of the safety data sheet

HP Inc. UK Limited Cain Road. Amen Corner Bracknell, Berkshire RG12 1HN

United Kingdom

**Telephone** 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

**HP Inc. Customer Care** 

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

hpcustomer.inquiries@hp.com Email:

1.4 Emergency telephone

number

0207771 5307

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Amorphous silica, Carbon black, Styrene acrylate copolymer, Titanium dioxide, Wax

**Hazard pictograms** None. Signal word None.

The mixture does not meet the criteria for classification. **Hazard statements** 

**Precautionary statements** 

Not available. Prevention Not available. Response Not available. Storage Not available. **Disposal** 

Supplemental label information None.

Material name: CE250A-X-XC-XD-YC

### 2.3. Other hazards

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

**General information** 

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification:		-			
Carbon black	<10	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification: -					
Wax	<10	Trade Secret	-	-	
Classification:		-			
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					
Titanium dioxide	<1	13463-67-7 236-675-5	01-2119489379-17-XXXX	-	
Classification:					

### **SECTION 4: First aid measures**

**General information** Not available.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a Ingestion

physician.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

# **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

5.3. Advice for firefighters

**Special protective** equipment for firefighters Not available.

Material name: CE250A-X-XC-XD-YC

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

Not available. For emergency responders

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

6.3. Methods and material for containment and cleaning up Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a

damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust

explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

storage, including any incompatibilities

7.3. Specific end use(s) Not available.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### Occupational exposure limits

UK.	EH40	Workplace	<b>Exposure</b>	Limits	(WELs)
-----	------	-----------	-----------------	--------	--------

Components	Type	Value	Form
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3.5 mg/m3	
Titanium dioxide (CAS 13463-67-7)	TWA	4 mg/m3	Respirable.
•		10 mg/m3	Inhalable

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

Not available.

procedures

Pre

## Derived no effect levels (DNELs)

Components	Туре	Route	Value	Form
Carbon black (CAS 1333-86-4)	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term
		Inhalation	1 mg/m3	Systemic long term
dicted no effect concentrations (PNECs)				
Components	Туре	Route	Value	Form
Carbon black (CAS 1333-86-4)	Not applicable	Freshwater	5 mg/l	

## **Exposure guidelines**

, 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

Marine water 5 mg/l

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

# 8.2. Exposure controls

Material name: CE250A-X-XC-XD-YC

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

**General information** No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection Not available.

Skin protection

Not available. - Hand protection - Other Not available. Respiratory protection Not available. Not available. Thermal hazards Not available. Hygiene measures

**Environmental exposure** 

controls

Not available.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** Fine powder Solid. Physical state solid Form Color Black.

Slight plastic odor Odor **Odor threshold** Not available. pН Not applicable Not available. Melting point/freezing point Initial boiling point and boiling Not applicable

range

Flash point Not applicable **Evaporation rate** Not applicable Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not flammable

Flammability limit - upper

(%)

Not available.

Vapor pressure Not applicable Vapor density Not applicable

Solubility(ies)

Negligible in water. Partially soluble in toluene and xylene. Solubility (water)

Partition coefficient

(n-octanol/water)

Not available.

**Auto-ignition temperature** Not applicable > 392 °F (> 200 °C) **Decomposition temperature Viscosity** Not applicable **Explosive properties** Not available.

No information available. Oxidizing properties

9.2. Other information

Percent volatile 0 % estimated

176 - 266 °F (80 - 130 °C) Softening point

1 - 1.2 Specific gravity

# **SECTION 10: Stability and reactivity**

Not available. 10.1. Reactivity

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

Material name: CE250A-X-XC-XD-YC

Carbon monoxide and carbon dioxide.

## **SECTION 11: Toxicological information**

General information Not available.

Information on likely routes of exposure

**Inhalation** Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contactContact with skin may result in mild irritation.Eye contactContact with eyes may result in mild irritation.IngestionIngestion is not a likely route of exposure.

Symptoms Not available.

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Components Species Test Results

Carbon black (CAS 1333-86-4)

Acute Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Serious eye damage/eye

Respiratory sensitization

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

irritation

Based on available data, the classification criteria are not met.

**Skin sensitization** Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Reproductive toxicity

Specific target organ toxicity -

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure

Described and Stable data the classification of the contraction of

Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

**SECTION 12: Ecological information** 

**12.1. Toxicity** LL50: > 1000 mg/l, Fish, 96.00 Hours

10843 Version #: 04 Revision date: 18-Oct-2018 Issue date: 11-Mar-2015

Not available.

Product Species Test Results

CE250A-X-XC-XD-YC (CAS Mixture)

Aquatic

Fish LL50 Fish > 1000 mg/l, 96 Hours

12.2. Persistence and

degradability

1000 mg/i, 00 mg/i,

12.3. Bioaccumulative potential Not available.

Material name: CE250A-X-XC-XD-YC

**Partition coefficient** 

n-octanol/water (log Kow)

Not available.

**Bioconcentration factor (BCF)** 

Not available. Not available.

12.4. Mobility in soil 12.5. Results of PBT

and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Not available. Contaminated packaging Not available. Not available. EU waste code

Disposal methods/information

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

## **SECTION 14: Transport information**

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

# **Authorizations**

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed

### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

## Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

**National regulations** 

15.2. Chemical safety assessment

Not available

See attached SUMI or GEIS document, if applicable.

### **SECTION 16: Other information**

#### References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

None.

### **Revision information**

Product and Company Identification: Product and Company Identification

SECTION 5: Firefighting measures: 5.2. Special hazards arising from the substance or mixture SECTION 6: Accidental release measures: 6.3. Methods and material for containment and cleaning up

SECTION 11: Toxicological information: Eye contact SECTION 11: Toxicological information: Ingestion SECTION 11: Toxicological information: Inhalation SECTION 11: Toxicological information: Skin contact SECTION 15: Regulatory information: Other information SECTION 15: Regulatory information: National regulations

SECTION 16: Other information: Disclaimer

SECTION 16: Other information: Information on evaluation method leading to the classification of

mixture

SECTION 16: Other information: References

SECTION 16: Other information: Training information Follow training instructions when handling this material.

**Training information** Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CE250A-X-XC-XD-YC

## **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds