

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	HP Color LaserJet CF400A-X Black Print Cartridge
Registration number	-
Synonyms	None.
Issue date	16-Apr-2015
Version number	04
Revision date	28-Aug-2018
Supersedes date	25-Sep-2015
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Identified uses	This product is a black toner preparation that is used in HP Color LaserJet Pro M252 and HP Color LaserJet Pro MFP M277 series printers.
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
	HP Inc. UK Limited
	Cain Road, Amen Corner
	Bracknell, Berkshire RG12 1HN
	United Kingdom
Telephone	44 (0) 879 013 0790
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Carbon black, Styrene acrylate copolymer, Wax	
Hazard pictograms	None.	
Signal word	None.	
Hazard statements	The mixture does not meet the criteria for classification.	
Precautionary statements		
Prevention	Not available.	
Response	Not available.	
Storage	Not available.	
Disposal	Not available.	
Supplemental label information	None.	

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

#### **SECTION 3: Composition/information on ingredients** 3.2. Mixtures **General information Chemical name** % CAS-No. / EC No. **REACH Registration No.** Index No. Notes Styrene acrylate copolymer <85 Trade Secret **Classification:** Carbon black <10 01-2119384822-32-XXXX 1333-86-4 215-609-9 **Classification:** Wax <10 Trade Secret \_ **Classification: SECTION 4: First aid measures** General information Not available. 4.1. Description of first aid measures Move person to fresh air immediately. If irritation persists, consult a physician. Inhalation Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact develops or persists. Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact least 15 minutes or until particles are removed. If irritation persists, consult a physician. Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. Not available. 4.2. Most important symptoms and effects, both acute and delayed 4.3. Indication of any Not available. immediate medical attention and special treatment needed SECTION 5: Firefighting measures General fire hazards Not available. 5.1. Extinguishing media

Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	If fire occurs in the printer, treat as an electrical fire.
Specific methods	None established.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

	•	· •		<b>U</b>
For I	non-emergen	су	Minimize dust g	generation and accumulation.
pers	onnel			

For emergency responders	Not available.				
6.2. Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.				
6.3. Methods and material for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.				
6.4. Reference to other sections	Not available.				
SECTION 7: Handling and	storage				
7.1. Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.				
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.				
7.3. Specific end use(s)	Not available				
SECTION 8: Exposure cor	ntrols/perso	nal protection			
8.1. Control parameters					
Occupational exposure limits					
UK. EH40 Workplace Exposu	ure Limits (WE	ELs)			
Components		Туре		Value	
Carbon black (CAS 1333-86-4)		STEL		7 mg/m3	
		TWA		3.5 mg/m3	
Biological limit values	No biological	exposure limits noted	for the ingredie	nt(s).	
Recommended monitoring procedures	Not available				
Derived no effect levels (DNELs)					
Components		Туре	Route	Value	Form
Carbon black (CAS 1333-86-4	)	Consumers Workers	Inhalation Inhalation Inhalation	1.75 mg/m3 0.06 mg/m3 2 mg/m3	Local long term Systemic long term Local long term
Predicted no effect concentratio	ns (PNECs)		Inhalation	1 mg/m3	Systemic long term
Components		Туре	Route	Value	Form
Carbon black (CAS 1333-86-4	)	Not applicable	Freshwater	5 mg/l	
Exposure guidelines , 5 mg/m3 (F			Marine water	•	
Exposure guidelines	, 5 mg/m3 (R	espirable Fraction)		•	
Exposure guidelines		espirable Fraction) espirable Particulate)		•	
Exposure guidelines	, 3 mg/m3 (R	espirable Particulate)	Marine water	5 mg/l	5SiO2, ACGIH (TWA/TLV): 10
Exposure guidelines	, 3 mg/m3 (R Amorphous s mg/m3	espirable Particulate) ilica: USA OSHA (TV	Marine water VA/PEL): 20 mp	5 mg/l opcf 80 (mg/m3)/%	SiO2, ACGIH (TWA/TLV): 10 m3 (Alveolengängige fraktion)
Exposure guidelines	, 3 mg/m3 (R Amorphous s mg/m3 TRGS 900 (L	espirable Particulate) ilica: USA OSHA (TV	Marine water VA/PEL): 20 mp /m3 (Einatemba	5 mg/l opcf 80 (mg/m3)/% re partikel), 3 mg/	
	, 3 mg/m3 (R Amorphous s mg/m3 TRGS 900 (L	espirable Particulate) ilica: USA OSHA (TV uftgrenzwert) - 10 mg	Marine water VA/PEL): 20 mp /m3 (Einatemba	5 mg/l opcf 80 (mg/m3)/% re partikel), 3 mg/	
Exposure guidelines 8.2. Exposure controls Appropriate engineering controls	, 3 mg/m3 (R Amorphous s mg/m3 TRGS 900 (L UK WEL: 10	espirable Particulate) ilica: USA OSHA (TV uftgrenzwert) - 10 mg	Marine water VA/PEL): 20 mp /m3 (Einatemba	5 mg/l opcf 80 (mg/m3)/% re partikel), 3 mg/	
8.2. Exposure controls Appropriate engineering	, 3 mg/m3 (R Amorphous s mg/m3 TRGS 900 (L UK WEL: 10 Use in a well	espirable Particulate) ilica: USA OSHA (TV uftgrenzwert) - 10 mg mg/m3 (Respirable Di ventilated area.	Marine water VA/PEL): 20 mp /m3 (Einatemba ust), 5 mg/m3 (Ii	5 mg/l opcf 80 (mg/m3)/% re partikel), 3 mg/	
8.2. Exposure controls Appropriate engineering controls Individual protection measures, General information	, 3 mg/m3 (R Amorphous s mg/m3 TRGS 900 (L UK WEL: 10 Use in a well such as perso No personal i	espirable Particulate) ilica: USA OSHA (TV uftgrenzwert) - 10 mg mg/m3 (Respirable D ventilated area. <b>onal protective equip</b> respiratory protective	Marine water VA/PEL): 20 mp /m3 (Einatemba ust), 5 mg/m3 (In	5 mg/l opcf 80 (mg/m3)/% re partikel), 3 mg/ nhalable Dust)	m3 (Alveolengängige fraktion)
8.2. Exposure controls Appropriate engineering controls Individual protection measures,	, 3 mg/m3 (R Amorphous s mg/m3 TRGS 900 (L UK WEL: 10 Use in a well such as perso	espirable Particulate) ilica: USA OSHA (TV uftgrenzwert) - 10 mg mg/m3 (Respirable D ventilated area. <b>onal protective equip</b> respiratory protective	Marine water VA/PEL): 20 mp /m3 (Einatemba ust), 5 mg/m3 (In	5 mg/l opcf 80 (mg/m3)/% re partikel), 3 mg/ nhalable Dust)	m3 (Alveolengängige fraktion)
8.2. Exposure controls Appropriate engineering controls Individual protection measures, General information Eye/face protection	, 3 mg/m3 (R Amorphous s mg/m3 TRGS 900 (L UK WEL: 10 Use in a well such as perso No personal i	espirable Particulate) ilica: USA OSHA (TV uftgrenzwert) - 10 mg mg/m3 (Respirable Du ventilated area. <b>onal protective equip</b> respiratory protective	Marine water VA/PEL): 20 mp /m3 (Einatemba ust), 5 mg/m3 (In	5 mg/l opcf 80 (mg/m3)/% re partikel), 3 mg/ nhalable Dust)	m3 (Alveolengängige fraktion)
8.2. Exposure controls Appropriate engineering controls Individual protection measures, General information Eye/face protection Skin protection	, 3 mg/m3 (R Amorphous s mg/m3 TRGS 900 (L UK WEL: 10 Use in a well such as perso No personal n Not available	espirable Particulate) ilica: USA OSHA (TV uftgrenzwert) - 10 mg mg/m3 (Respirable D ventilated area. <b>onal protective equip</b> respiratory protective	Marine water VA/PEL): 20 mp /m3 (Einatemba ust), 5 mg/m3 (In	5 mg/l opcf 80 (mg/m3)/% re partikel), 3 mg/ nhalable Dust)	m3 (Alveolengängige fraktion)
8.2. Exposure controls Appropriate engineering controls Individual protection measures, General information Eye/face protection Skin protection - Hand protection	, 3 mg/m3 (R Amorphous s mg/m3 TRGS 900 (L UK WEL: 10 Use in a well such as perso No personal i Not available	espirable Particulate) ilica: USA OSHA (TV uftgrenzwert) - 10 mg mg/m3 (Respirable Dr ventilated area. <b>onal protective equip</b> respiratory protective	Marine water VA/PEL): 20 mp /m3 (Einatemba ust), 5 mg/m3 (In	5 mg/l opcf 80 (mg/m3)/% re partikel), 3 mg/ nhalable Dust)	m3 (Alveolengängige fraktion)

#### **SECTION 9: Physical and chemical properties**

SECTION 5. Physical and	chemical properties
9.1. Information on basic physic	al and chemical properties
Appearance	Fine powder
Physical state	Solid.
Form	solid
Color	Black.
Odor	Slight plastic odor
Odor threshold	Not available.
рН	Not applicable
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not flammable
Flammability limit - upper (%)	Not available.
Vapor pressure	Not applicable
Vapor density	Not applicable
Solubility(ies)	
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable
Decomposition temperature	> 392 °F (> 200 °C)
Viscosity	Not applicable
Explosive properties	Not available.
Oxidizing properties	No information available.
9.2. Other information	
Percent volatile	0 % estimated
Softening point	176 - 266 °F (80 - 130 °C)
Specific gravity	1 - 1.2
SECTION 10: Stability and	1 reactivity

# **SECTION 10: Stability and reactivity**

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under normal storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Imaging Drum: Exposure to light
10.5. Incompatible materials	Strong oxidizers
10.6. Hazardous decomposition products	Carbon monoxide and carbon dioxide.

### **SECTION 11: Toxicological information**

General information	Not available.
Information on likely routes of e	exposure
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Ingestion is not a likely route of exposure.

Material name: CF400A-X

Symptoms	Not available.			
11.1. Information on toxicological effects				
Acute toxicity	Based on available data, the classification criteria are not met.			
Components	Species	Test Results		
Carbon black (CAS 1333-86-4)				
Acute				
Oral				
LD50	Rat	> 10000 mg/kg		
Skin corrosion/irritation	Based on available data, the classification criteria an	e not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.			
Respiratory sensitization	Based on available data, the classification criteria are not met.			
Skin sensitization	Based on available data, the classification criteria are not met.			
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met.			
Carcinogenicity	Based on available data, the classification criteria are not met.			
	Carbon black is classified as a carcinogen by the IAI 2B) and by the State of California under Proposition organizations indicate that exposure to carbon black	65. In their evaluations of carbon black, both		

organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

#### IARC Monographs. Overall Evaluation of Carcinogenicity Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans. ..... ologgification pritoria or مامام م ما 4

Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Mixture versus substance information	Not available.
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

#### **SECTION 12: Ecological information**

LC50: > 100 mg/l, Fish, 96.00 Hours 12.1. Toxicity

	LC50. > 100 mg/l, Fi	
Product	Spec	ties Test Results
CF400A-X (CAS 75-73-0)		
Aquatic		
Fish	LC50 Fish	> 100 mg/l, 96 Hours
12.2. Persistence and degradability	Not available.	
12.3. Bioaccumulative potential	Not available.	
Partition coefficient n-octanol/water (log Kow)	Not available.	
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	Not available.	
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB s	substance or mixture.
12.6. Other adverse effects	Not available.	

# P

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.

EU waste code	Not available.	
Disposal methods/information	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.	
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.	
SECTION 14: Transport information		
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.	
SECTION 15: Regulatory i	information	
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture	
EU regulations		
Regulation (EC) No. 1005/20	09 on substances that deplete the ozone layer, Annex I	
•	09 on substances that deplete the ozone layer, Annex II	
Not listed. Regulation (EC) No. 850/200 Not listed.	4 On persistent organic pollutants, Annex I as amended	
Regulation (EU) No. 649/201	2 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended	
	2 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended	
	2 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended	
Not listed. Regulation (EU) No. 649/201 Not listed.	2 concerning the export and import of dangerous chemicals, Annex V as amended	
	6 Annex II Pollutant Release and Transfer Registry	
Not listed. Regulation (EC) No. 1907/20 Not listed.	006, REACH Article 59(1) Candidate List as currently published by ECHA	
Authorizations		
Regulation (EC) No. 143/201 Not listed.	1 Annex XIV Substances Subject to Authorization	
Restrictions on use		
Not listed.	06, REACH Annex XVII Substances subject to restriction on marketing and use as amended	
work	e protection of workers from the risks related to exposure to carcinogens and mutagens at	
Not regulated.		
Other EU regulations Directive 2012/18/EU on maj Not listed.	jor accident hazards involving dangerous substances, as amended	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.	
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.	
National regulations	Not available.	
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.	

# **SECTION 16: Other information**

lation
Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
None.
SECTION 5: Firefighting measures: 5.2. Special hazards arising from the substance or mixture SECTION 6: Accidental release measures: 6.3. Methods and material for containment and cleaning up SECTION 11: Toxicological information: Eye contact SECTION 11: Toxicological information: Ingestion SECTION 11: Toxicological information: Inhalation SECTION 11: Toxicological information: Skin contact SECTION 11: Toxicological information: Other information SECTION 15: Regulatory information: Other information SECTION 15: Regulatory information: National regulations SECTION 16: Other information: Disclaimer SECTION 16: Other information: Information on evaluation method leading to the classification of mixture SECTION 16: Other information: References SECTION 16: Other information: Training information
Follow training instructions when handling this material.
This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

#### Explanation of abbreviations

ACGIH	American Conference of Covernmental Industrial Ungionista
	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds