

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
1.1. Product identifier	
Trade name or designation of the mixture	CC641 Series
Registration number	-
Synonyms	None.
Issue date	15-May-2015
Version number	04
Revision date	09-May-2019
Supersedes date	02-Jan-2019
1.2. Relevant identified uses of t	the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
	HP Inc. UK Limited
	Cain Road, Amen Corner
	Bracknell, Berkshire RG12 1HN
	United Kingdom
Telephone	44 (0) 879 013 0790
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	1,5-pentanediol, 2-pyrrolidone, ethoxylated 2,4,7,9-tetramethyl-5-decyn-4,7-diol, Modified carbon black, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	None
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water	75-85	7732-18-5 231-791-2	-	-	
Classification: -					
2-pyrrolidone	< 10	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	ye Irrit. 2;H319				
1,5-pentanediol	< 5	111-29-5 203-854-4	01-2119449341-44-0006	-	
Classification: -					
Modified carbon black	< 5	Proprietary	-	-	
Classification: -					
ethoxylated 2,4,7,9-tetramethyl-5-decyn	<1 -4,7-diol	9014-85-1 500-022-5	01-2119954393-33-XXXX	-	
Classification:	ye Dam. 1;H318, A	quatic Chronic 3;H412			
composition comments	This ink supply	contains an aqueous i	nk formulation.		
	Carbon black is	present only in a bour	d form in this preparation.		
SECTION 4: First aid me	easures				
General information	Not available.				
.1. Description of first aid me					
Inhalation	Remove to fres	h air. If symptoms pers	ist, get medical attention.		
Skin contact	Wash affected a develops or per		nild soap and water. Get medic	al attention if irrita	ation
Eye contact			h large amounts of clean, warn emoved. If irritation persists ge		
Ingestion	If ingestion of a	large amount does oc	cur, seek medical attention.		
.2. Most important symptoms nd effects, both acute and elayed	s Not available.				
.3. Indication of any nmediate medical attention nd special treatment needed	Not available.				
SECTION 5: Firefighting	j measures				
General fire hazards	Not available.				
5.1. Extinguishing media					
Suitable extinguishing	Dry chemical, C	CO2, water spray or reg	jular foam.		

5.1. Extinguishing media Suitable extinguishing media	Dry chemical, CO2, water spray or regular foa
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.

5.3. Advice for firefighters Special protective equipment for firefighters	Not availabl	e.			
Special fire fighting procedures	Not availabl	e.			
Specific methods	None establ	ished.			
SECTION 6: Accidental re	lease mea	sures			
6.1. Personal precautions, prote	ctive equipm	ent and emergency	procedures		
For non-emergency personnel	Wear appro	priate personal prote	ctive equipment.		
For emergency responders	Not availabl	e.			
6.2. Environmental precautions	Do not let p	oduct enter drains. E	Do not flush into s	urface water or sanit	ary sewer system.
6.3. Methods and material for containment and cleaning up		lled material, where t eous earth, commerc			orbent such as dry clay, sand
6.4. Reference to other sections	Not availabl	e.			
SECTION 7: Handling and	storage				
7.1. Precautions for safe handling	-	ct with skin, eyes and	d clothing.		
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.				
7.3. Specific end use(s)	Not availabl	e.			
SECTION 8: Exposure cor	ntrols/pers	onal protection			
8.1. Control parameters	•	•			
Occupational exposure limits	No exposure	e limits noted for ingr	edient(s).		
Biological limit values	No biological exposure limits noted for the ingredient(s).				
Recommended monitoring procedures	Not available.				
Derived no effect levels (DNELs)	)				
Components		Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)		Consumers Workers	Dermal Dermal Inhalation Oral Oral Dermal Dermal	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d 10 mg/kg bw/d	Systemic long term Systemic acute short term Systemic long term Systemic acute short term Systemic acute short term Systemic acute short term
ethoxylated 2,4,7,9-tetramethyl-5-decyn-4, 9014-85-1)	,7-diol (CAS	Consumers	Inhalation Dermal	57.8 mg/m3 0.75 mg/kg	Systemic long term Systemic short term
		Workers	Dermal Inhalation Inhalation Oral Oral Dermal Inhalation	0.25 mg/kg 1.29 mg/m3 0.43 mg/m3 0.25 mg/g 0.75 mg/kg 1.5 mg/kg 0.5 mg/kg 5.28 mg/m3	Systemic long term Systemic short term Systemic long term Systemic short term Systemic short term Systemic long term Systemic short term
			Inhalation	1.76 mg/m3	Systemic long term
Predicted no effect concentratio Components	ons (PNECs)	Type	Route	Value	Form
		Type			
2-pyrrolidone (CAS 616-45-5)		Not applicable	Freshwater Intermittent	0.5 mg/l 0.5 mg/l	Releases

Marine water 0.05 mg/l

Sediment

Soil

0.4205 mg/kg

0.0612 mg/kg

Freshwater

Components		Туре	Route	Value	Form
			STP	10 mg/l	Sewage Treatment Plant
ethoxylated 2,4,7,9-tetramethyl-5-decyn 9014-85-1)	-4,7-diol (CAS	Not applicable	Freshwater	0.04 mg/l	
,			Intermittent	0.4 mg/l	Releases
			Marine water	0.004 mg/l	
			Sediment	0.32 mg/kg	Freshwater
			Sediment	0.032 mg/kg	Marine water
			Soil	0.028 mg/kg	
			STP	7 mg/l	Sewage Treatment Plant
posure guidelines	Exposure lin	nits have not been es	tablished for this	product.	
2. Exposure controls					
propriate engineering ntrols	Use in a wel	l ventilated area.			
dividual protection measure	s, such as pers	onal protective equ	ipment		
General information	Use persona	I protective equipme	nt to minimize exp	posure to skin and	l eye.
Eye/face protection	Not available	Э.			
Skin protection					
- Hand protection	Not available	9.			
- Other	Not available	9.			
Respiratory protection	Not available	9.			
Thermal hazards	Not available	9.			
giene measures	Handle in ac	cordance with good	industrial hygiene	and safety practic	ce.
vironmental exposure ntrols	Not available	9.			

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Not available.
Form	Not available.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	7.5 - 8.2
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 230.0 °F (> 110.0 °C) Setaflash Closed Cup
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not determined
Vapor density	>= 1 (air = 1.0)
Solubility(ies)	
Solubility (water)	Soluble in water
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	>= 2 cp
Explosive properties	Not available.

Oxidizing properties	Not determined
9.2. Other information	
VOC	< 147 g/l
SECTION 10: Stability and	1 reactivity
10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
SECTION 11: Toxicologic	al information
General information	Not available.
Information on likely routes of e	xposure
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.
Eye contact	Contact with eyes may result in mild irritation.
Ingestion	Health injuries are not known or expected under normal use.
Symptoms	Not available.
11.1. Information on toxicologica	al effects
Acute toxicity	Based on available data, the classification criteria are not met.
Components	Species Test Results
2-pyrrolidone (CAS 616-45-5)	
<u>Acute</u>	
Oral	
LD50	Rat > 5000 mg/kg
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.
Respiratory sensitization	Based on available data, the classification criteria are not met.
Skin sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Mixture versus substance information	Not available.
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.
SECTION 12: Ecological i	nformation

## 12.1. Toxicity Aquatic toxicity

Not expected to be harmful to aquatic organisms.

Product		Species	Test Results
CC641 Series			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow)			
2-pyrrolidone		-0.85	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or v	/PvB substance or mixture.	
12.6. Other adverse effects	Not available.		

#### SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Do not allow this material to drain into sewers/water supplies. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

## **SECTION 14: Transport information**

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

## IMDG

Not regulated as dangerous goods.

## ADR

Not regulated as dangerous goods.

#### Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.
Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Not listed.	2 concerning the export and import of dangerous chemicals, Annex V as amended
	6 Annex II Pollutant Release and Transfer Registry
Not listed. Regulation (EC) No. 1907/20 Not listed.	006, REACH Article 59(1) Candidate List as currently published by ECHA
Authorizations	
Regulation (EC) No. 143/201 Not listed.	1 Annex XIV Substances Subject to Authorization
Restrictions on use	
Regulation (EC) No. 1907/20 Not listed.	006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Directive 2004/37/EC: on the work	e protection of workers from the risks related to exposure to carcinogens and mutagens at
Not regulated.	
Other EU regulations	
Directive 2012/18/EU on maj	jor accident hazards involving dangerous substances, as amended
Not listed.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).
National regulations	Not available.
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.
SECTION 16: Other inform	nation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under Sections 2 to 15	H318 Causes serious eye damage. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
<b>Revision information</b>	None.
Training information	Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

#### Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

## Safe Use of Mixture Information (SUMI)

## Water Based Ink: WB01 \*English\*

#### Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , ,	3, where upplicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing bef	
Store at room temperature.	
Environmental measures	
	in intercourse/unitercourselies
Do not allow this material to dra	
Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations. Ensure collection and disposal with appropriately licenced waste contractor.	
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	
SU7-Printing and reproduction m	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities
ERC5-Use at industrial site leading to inclusion into/onto article	
ERC8c-Widespread use leading to inclusion into/onto article (indoor)	
Additional information on product composition	
In section 2 of the SDS as well as on the label, the classification of the mixture is provided.	
Most of the water based inks are "not classified".	
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.	
All ingredients contributing to the classification are stated in Section 3 of the SDS.	
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.	
	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	
	WB01 English.pdf